

Light 50•60

Dcare

Dcom

**Easy Wall**

Diversa  
BORN TO BE DIFFERENT

**EasyWall** is the Dglass family completion with regards to **minimal** and **contemporary** design, developed to both achieve the lowest profile dimensions (35 x 35 mm) and the highest level of adjustability at site (+- 20 mm).

Thanks to its peculiar gasket system, it can reach up to 39dB with standard laminated glasses in its single glazed configuration, and up to 52dB with same standard laminated in its double glazed one.

## MAIN FEATURES

- ◉ ADJUSTABLE
- ◉ FLEXIBLE
- ◉ QUICK AS LEAD TIME

Open to receive all the Dglass door family, including the double glazed framed door (in addition to the traditional solid and glazed doors) it also has specific applications for the **US market**, including ADA compliant lockable pulls and sliding systems.

Based on few components only, it highly simplifies the project from the first steps, till a very productive on site installation not requiring extra effort on the glassa djustability and so overall measures precision.

Available in several colors, as well as eletrochemical colored options, it is also capable of having glasses in the rangeof 10 - 14 mm as single plates.





## GLAZED ACOUSTIC DOOR

Easy Wall acoustic door shows some innovative design details and features

- Use of double glazing to ensure an higher acoustic insulation
- Eveness of the door panel with the entire wall profiles, having pivot or concealed hinges, and potentially concealed closers
- Lock integrated with the frame

## EASY WALL

ENDLESS FLEXIBILITY

All the Easy Wall doors are available with both European and American Hardware, swing and sliding ones as well.

Soft perimetral gaskets and bottom skirting (upon request) provide an excellent acoustic performance.



## SOLID DOOR

The solid door is available in two different versions (both 40 mm thickness), either with honeycomb structure and HPL finish panel, or with an aluminum framed door leaf with double melamine panels 16 mm thickness.



## FRAMELESS GLAZED DOOR

The frameless glazed door is available as 10 mm tempered glass. Tempered, with polished bevels, can be transparent, fully or partial frosted, with or without film.



## FRAMED GLAZED DOOR

The framed glazed door is available as 10 mm tempered glass enclosed in aluminum tubular frame of 40x16 mm.

Tempered, with polished bevels, can be transparent, fully or partial frosted, with or without film.



## SLIDING DOOR

The sliding door is one of the distinctive proposals of Light 5060 system integrating LED stripes inside the door frame. Based on a 10 mm tempered glass, as alternative fully or partially frosted, it offers a self closing sliding mechanism integrated into an aluminum track. Soft brushes and an inox or painted steel vertical pull handle complete the set of features.



Easy Wall



Easy Wall  
Double



Easy Wall  
Offset

## TAILOR MADE • EACH PROJECT ITS OWN COLOR



ANODISED



BLACK



WHITE



GREY




GOLD



RAL COLOR

## FLEXIBLE • EACH NEED ITS OWN LIGHT REPLY




LAMINATED from 55.1 till 68.1

TEMPERED from 10 till 14 mm

CLEAR, EXTRACLEAR, BACK PAINTED

## MODULAR • EACH CONNECTION ITS OWN SOLUTION



Diversa  
BORN TO BE DIFFERENT

tel. +39 0522 1607156  
fax +39 0522 1602087  
info@diversa.it

**WWW.DIVERSA.IT**